

RESERVATION FORM EXHIBITION SPACE

Return to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62

APPLICATION FOR EXHIBITION SPACE

We apply for ____ sq. m.

Our choice is space no. ____ or ____

Cost 240 EURO per sq. m Exhibition Space including:

- Exhibition Space without stand partition walls
- Free Company information, logo and address entry in the FILTECH Exhibition Catalogue
- Free Catalogue product index listing in the FILTECH Exhibition Catalogue
- Free Company information and logo at FILTECH Homepage
- Free Congress Registration for Companies presenting a paper

Minimum space: 12 sq. m. German VAT will be charged at current rate.

We have read the conditions and regulations and agree to be bound by them. The Organiser will confirm the application upon receipt.

Company Name

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

Authorised signature and Company stamp

RESERVATION FORM SHELL SCHEME PACKAGE

Return to:
Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62

APPLICATION FOR SHELL SCHEME PACKAGE

We apply for ____ sq. m. / Stand no. ____ or ____

Cost 350 EURO per sq. m Shell Scheme Stand including:

- Exhibition Space
- Shell stand construction
- Company name on facia board - 15 letters
- counter unit
- 3 chairs
- table
- carpet - grey or blue
- lockable cabin – 1x1m
- spotlights
- coat rack
- waste container
- stand cleaning before and during the show
- 3,3 kW electric standard connection including standard consumption
- Free Company information, logo and address entry in the FILTECH 2009 Exhibition Catalogue
- Free Catalogue product index listing in the FILTECH 2009 Exhibition Catalogue
- Free Congress Registration for Companies presenting a paper

Minimum space: 12 sq. m. German VAT will be charged at current rate.

Please complete:

Facia text (included) L L L L L L L L L L L L L L L

Facia text (additional) L L L L L L L L L L L L L L L

Carpet colour grey / blue

Company logo on facia board (70 € each side)

Additional lettering (2 € each letter)

We have read the conditions and regulations and agree to be bound by them. The Organiser will confirm the application upon receipt.

Company Name _____

Street/PO Box _____

Post Code/City _____

Country _____

Contact Person _____

E-mail _____

Phone/Fax _____

Authorised signature and Company stamp _____

SHELL SCHEME STAND INFORMATION SHEET

STAND CONSTRUCTION

- System material: silver / white
- Wall elements 1m broad x 2.5 m high, white
- Fascia board (30 cm high), white

FURNISHING

- 1 white counter (50 x 100 cm)
- 1 lockable storage cabin (1 x 1 m)
- 1 table (70 x 70 cm)
- 3 chairs
- 1 waste paper basket
- 1 coat rack
- 1 carpet fair rips grey or blue

ELECTRICAL INSTALLATION

- 3 pcs spotlights (120 W) per 12 sq m
- 3.3 kW main terminal with 1 socket

LETTERING


- Fascia board with 15 characters
- Arial black



Price for Company logo or additional text on fascia board upon request.

STAND CLEANING

- Stand cleaning before opening
- Stand cleaning on the 1st and 2nd evening of the show

Additional furniture, services & electrical installations can be ordered separately.





Hall 1

A1	15 m ²
A2	24 m ²
A3	12 m ²
A4	12 m ²
A5	12 m ²
A6	12 m ²
A7	12 m ²
A8	12 m ²
A9	15 m ²
A10	18 m ²
A11	12 m ²
A12	12 m ²
A13	12 m ²
A14	24 m ²
A15	12 m ²
A16	24 m ²
A17	18 m ²
A18	12 m ²
B1	36 m ²
B3	12 m ²
B4	12 m ²
B5	48 m ²
B6	12 m ²
B8	12 m ²

B9	12 m ²
B10	72 m ²
B12	12 m ²
B16	12 m ²
C2	18 m ²
C4	30 m ²
C6	36 m ²
C8	36 m ²
C9	12 m ²
D1	12 m ²
D3	12 m ²
D8	72 m ²
D11	12 m ²
D13	15 m ²
D15	21 m ²
E1	24 m ²
E2	12 m ²
E4	12 m ²
E6	12 m ²
E8	12 m ²
E10	12 m ²
E12	12 m ²
E13	24 m ²
E14	12 m ²

E15	24 m ²
E16	12 m ²
E18	12 m ²
E20	15 m ²

Foyer

F1	24 m ²
F2	24 m ²
F3	24 m ²
F4	18 m ²
F5	36 m ²
F6	24 m ²

Hall 3

G1	12 m ²
G2	15 m ²
G3	30 m ²
G4	20 m ²
G6	12 m ²
G8	12 m ²
G9	12 m ²
G11	12 m ²
G13	12 m ²
G15	12 m ²

G17	15 m ²
G18	15 m ²
G20	12 m ²
H1	12 m ²
H2	15 m ²
H3	12 m ²
H5	12 m ²
H6	12 m ²
H8	12 m ²
H9	18 m ²
H8	12 m ²
H11	18 m ²
H13	12 m ²

Hall 4

G16	32 m ²
K1	12 m ²
K2	60 m ²
K3	12 m ²
K5	12 m ²
K6	30 m ²
K7	12 m ²

H15	12 m ²
H16	12 m ²
H17	15 m ²
H18	15 m ²

K8	72 m ²
K9	12 m ²
K10	12 m ²
K11	12 m ²
K13	15 m ²
K15	15 m ²
L1	20 m ²
L2	12 m ²
L3	20 m ²
L4	12 m ²
L6	12 m ²
L7	25 m ²
L8	15 m ²

L9	24 m ²
L10	18 m ²
L11	12 m ²
L12	18 m ²
L13	16 m ²
L14	15 m ²
L15	12 m ²
L16	12 m ²
L18	12 m ²
M1	12 m ²
M2	12 m ²
M3	12 m ²
M4	12 m ²

M5	12 m ²
M6	14 m ²
M7	15 m ²
M8	12 m ²
M9	18 m ²
M10	12 m ²
M12	14 m ²
M14	20 m ²
M16	15 m ²

D8, M18, K2, K8 Group Stands

Product Index Page 1

Return all 3 pages to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62

Company Name

Stand No/

Street/PO Box

Post Code/City

Country

Contact Person

E-mail

Phone/Fax

Note: Number of entries is limited to 25 keywords for each exhibitor

- | | | | |
|-----------------------------------------------------------|-------------------------------------|------------------------------------------------------------|-------------------------------|
| <input type="checkbox"/> Absorption Filters | Absorptionsfilter | <input type="checkbox"/> Decanters | Dekanter, Absetzbecken |
| <input type="checkbox"/> Activated Carbon | Aktivkohle | <input type="checkbox"/> Dedusters | Entstaubungsanlagen |
| <input type="checkbox"/> Activated Carbon Media | Aktivkohle Medien | <input type="checkbox"/> Demisters | Tropfenabscheider |
| <input type="checkbox"/> Activated Carbon Pleaters | Aktivkohle Filteranlagen | <input type="checkbox"/> Deodorization | Desodorierung |
| <input type="checkbox"/> Adhesives | Klebstoffe | <input type="checkbox"/> Dewatering Equipment | Entwässerungsanlagen |
| <input type="checkbox"/> Adhesive Application Systems | Klebstoffauftragsysteme | <input type="checkbox"/> Diatomite | Kieselgur |
| <input type="checkbox"/> Adhesive Application for Filters | Filterverklebung | <input type="checkbox"/> Differential Pressure Transmitter | Differenzdrucktransmitter |
| <input type="checkbox"/> Adhesive Dispensers | Klebstoffspender | <input type="checkbox"/> Disc Filters | Scheibenfilter |
| <input type="checkbox"/> Adsorption Filters | Adsorptionsfilter | <input type="checkbox"/> Disposable Filters | Einwegfilter |
| <input type="checkbox"/> Aeration Systems | Belüftungssysteme | <input type="checkbox"/> Distillation | Destillation |
| <input type="checkbox"/> Aerosol Generators | Aerosolgeneratoren | <input type="checkbox"/> Drinking Water Filters | Trinkwasserfilter |
| <input type="checkbox"/> Air Dryers | Lufttrockner | <input type="checkbox"/> Droplet Generators | Tröpfchengeneratoren |
| <input type="checkbox"/> Air Filter Media | Luftfiltermedien | <input type="checkbox"/> Drum Filters | Trommelfilter |
| <input type="checkbox"/> Air Filters | Luftfilter | <input type="checkbox"/> Dryers | Trockner |
| <input type="checkbox"/> Air Flow Meters | Luftstrommesser | <input type="checkbox"/> Dust Collectors | Staubabscheider |
| <input type="checkbox"/> Air Sterilization | Luftsterilisation | <input type="checkbox"/> Dust Generators | Staubgeneratoren |
| <input type="checkbox"/> Analytical Instruments | Analytische Messtechnik | <input type="checkbox"/> Dust Measuring Systems | Staubmessgeräte |
| <input type="checkbox"/> Analytical Centrifuges | Analytische Zentrifugen | <input type="checkbox"/> Dust/Mist Filters | Staub-/Tropfenfilter |
| <input type="checkbox"/> Antiscalants | Antiscalants | | |
| <input type="checkbox"/> Automatic Filters | Automatische Filter | <input type="checkbox"/> Edge Element Filters | Kantenelementfilter |
| <input type="checkbox"/> Automotive Filters | Automobilfilter | <input type="checkbox"/> Effluent Filters | Abwasserfilter |
| | | <input type="checkbox"/> Electrocoagulation | Elektrokoagulation |
| <input type="checkbox"/> Bag Flush Filters | Beutelfilter | <input type="checkbox"/> Electrical Precipitators | elektrische Abscheider |
| <input type="checkbox"/> Bacteriological Filters | Bakterienfilter | <input type="checkbox"/> Electrostatic Precipitators | electrostatische Abscheider |
| <input type="checkbox"/> Bag Flush Filters | Rückspülfilter | <input type="checkbox"/> Expanded Metal | Streckmetal |
| <input type="checkbox"/> Basket Filters | Korbfilter | | |
| <input type="checkbox"/> Battery Separators | Batterieseparatoren | <input type="checkbox"/> Filter Aids | Filterhilfsmittel |
| <input type="checkbox"/> Belt Filters | Bandfilter | <input type="checkbox"/> Filter Bags | Filterbeutel |
| | | <input type="checkbox"/> Filter Bags from Metal Felt | Filterbeutel aus Metallvlies |
| <input type="checkbox"/> Cabin Air Filters | Kabinenfilter | <input type="checkbox"/> Filter Cartridges | Filterpatronen |
| <input type="checkbox"/> Candle Filters | Kerzenfilter | <input type="checkbox"/> Filter Centrifuges | Filterzentrifugen |
| <input type="checkbox"/> Carbon Filters | Kohlefilter | <input type="checkbox"/> Filter Cloth | Filtertücher |
| <input type="checkbox"/> Cartridge Filters | Patronenfilter | <input type="checkbox"/> Filter Discs | Filterscheiben |
| <input type="checkbox"/> Centrifuges | Zentrifugen | <input type="checkbox"/> Filter Elements | Filterelemente |
| <input type="checkbox"/> Ceramic Membranes | Keramikmembranen | <input type="checkbox"/> Filter Fabrics | Filtergewebe |
| <input type="checkbox"/> Ceramic Separators | Keramische Separatoren | <input type="checkbox"/> Filter Felts | Filterfilze |
| <input type="checkbox"/> Chamber Filter Elements | Kammerfilterelemente | <input type="checkbox"/> Filter Media | Filtermedien |
| <input type="checkbox"/> Clarifiers | Klärer | <input type="checkbox"/> Filter Media for Liquids | Filtermedien f. Flüssigkeiten |
| <input type="checkbox"/> Classifiers | Klassierer | <input type="checkbox"/> Filter Media for Gases | Filtermedien f. Gase |
| <input type="checkbox"/> Coalescer Media | Coalescer Medien | <input type="checkbox"/> Filter Pads | Filterkissen |
| <input type="checkbox"/> Coalescers | Coalescer | <input type="checkbox"/> Filter Plates | Filterplatten |
| <input type="checkbox"/> Coated Filters, antibacterial | Beschichtete Filter, antibakteriell | <input type="checkbox"/> Filter Presses | Filterpressen |
| <input type="checkbox"/> Conditioning Agents | Aufbereitungsmittel | <input type="checkbox"/> Filter Pulp | Filterbrei |
| <input type="checkbox"/> Compressed Air Dryers | Drucklufttrockner | <input type="checkbox"/> Filter Seaming Machines | Filterverschleißmaschinen |
| <input type="checkbox"/> Conditioning Agents | Aufbereitungsmittel | <input type="checkbox"/> Filter Test Rigs (Gas/Air) | Filtertesteinrichtungen |
| <input type="checkbox"/> Coolant Filters | Kühlmittelfilter | <input type="checkbox"/> Filter Textiles | Filtertextilien |
| <input type="checkbox"/> Core Tubes | Kernschläuche | <input type="checkbox"/> Filter Tube End Caps | Filterröhrenendkappen |
| <input type="checkbox"/> Cutting Systems | Schneidesysteme | <input type="checkbox"/> Filter Tube Making Machines | Filterröhrenmaschine |
| <input type="checkbox"/> Cyclones | Zyklone | <input type="checkbox"/> Filter Tubes | Filterröhren, Röhrenfilter |

Product Index Page 2

Company Name

Stand No/

<input type="checkbox"/> Filterability Tester	Filtrierbarkeitstester	<input type="checkbox"/> Nanofiltration	Nanofiltration
<input type="checkbox"/> Filtration Plants	Filteranlagen	<input type="checkbox"/> Nanoparticle Analysis	Nanopartikelanalyse
<input type="checkbox"/> Flocculants	Flockungsmittel	<input type="checkbox"/> Nanoparticle Generation	Nanopartikelherstellung
<input type="checkbox"/> Flocculation & Mixing Systems	Flockungs- u. Mischsysteme	<input type="checkbox"/> Nanoparticle Measurement	Nanopartikelmessung
<input type="checkbox"/> Flotation Equipment	Flotationsanlage	<input type="checkbox"/> Non-Wovens	Vliesmaterialien
<input type="checkbox"/> Flow Indicators	Durchflußanzeiger	<input type="checkbox"/> Non-Wovens, Meltblown	Vliesmaterialien, Meltblown
<input type="checkbox"/> Flow Meters	Durchflussmesser	<input type="checkbox"/> Non-Wovens, Spunbonded	Vliesmaterialien, Spunbonded
<input type="checkbox"/> Fluid Samplers	Flüssigkeitsprobennehmer	<input type="checkbox"/> Odor Removal	Geruchsbereitigung
<input type="checkbox"/> Fuel Filters	Kraftstoff-Filter	<input type="checkbox"/> Oil Filter Media	Ölfiltermedien
<input type="checkbox"/> Fuel Filter Media	Kraftstoff-Filtermedien	<input type="checkbox"/> Oil Filters	Ölfilter
<input type="checkbox"/> Gas Adsorption	Gasadsorption	<input type="checkbox"/> Online Particle Analysis	Online Partikelanalyse
<input type="checkbox"/> Gas Analysis Devices	Gasanalysegerät	<input type="checkbox"/> Ozone Equipment	Ozonanlagen
<input type="checkbox"/> Gas Cleaning	Gasreinigung	<input type="checkbox"/> Paint Filters	Lackfilter
<input type="checkbox"/> Gas Filters	Gasfilter	<input type="checkbox"/> Panel Filter Lines	Paneelfilter-Anlagen
<input type="checkbox"/> Gaskets for Filters	Dichtungen für Filter	<input type="checkbox"/> Paper Media	Papierfiltermittel
<input type="checkbox"/> Glass Fibre Filter	Glasfaserfilter	<input type="checkbox"/> Particle Counters	Partikelzähler
<input type="checkbox"/> Glass Fibre Media	Glasfasermedien	<input type="checkbox"/> Particle Filters for Diesel Engines	Dieselrußfilter
<input type="checkbox"/> Hepa Filters	Hepa-Filter	<input type="checkbox"/> Particle Measuring Methods	Partikelanalysemethoden
<input type="checkbox"/> Hepa-/Mini Pleating Machines	Hepa-/Minipleat Faltmaschine	<input type="checkbox"/> Particle Shape Analysis	Partikelformanalyse
<input type="checkbox"/> Hot-Gas Filters	Heißgasfilter	<input type="checkbox"/> Particle Size Analysis	Partikelgrößenanalyse
<input type="checkbox"/> Hot-Melt Type Adhesives	Schmelzklebstoffe	<input type="checkbox"/> Particle Size Distribution Analysis	Partikelgrößenverteilungsanalyse
<input type="checkbox"/> Hot-Melt Type Applications	Heißbleimgeräte	<input type="checkbox"/> Peeler Centrifuges	Schälzentrifugen
<input type="checkbox"/> Humidity Recorders	Feuchtigkeitsrecorder	<input type="checkbox"/> Perforated Metals	Perforierte Metalle
<input type="checkbox"/> Hydraulic Filters	Hydraulikfilter	<input type="checkbox"/> Perforation Presses	Perforationspressen
<input type="checkbox"/> Hydraulic Media	Hydraulikmedien	<input type="checkbox"/> Pleating Machines	Faltmaschinen
<input type="checkbox"/> Hydrocyclones	Hydrozyklone	<input type="checkbox"/> Porous Ceramics	Poröse Keramik
<input type="checkbox"/> In-Line Filters	Einbaufilter	<input type="checkbox"/> Porous Filter Media	Poröse Filtermittel
<input type="checkbox"/> Intake Filters	Ansaugfilter	<input type="checkbox"/> Porous Metals	Poröse Metalle
<input type="checkbox"/> Inverting Filter Centrifuges	Stülpfilterzentrifugen	<input type="checkbox"/> Porous Plastics	Poröse Kunststoffe
<input type="checkbox"/> Ion Exchange System	Ionenaustauscheranlage	<input type="checkbox"/> Powders	Pulver
<input type="checkbox"/> Knife Pleating Machines	Messerfaltmaschinen	<input type="checkbox"/> Powder Classifiers	Pulverklassierer
<input type="checkbox"/> Laboratory Filters	Laborfilter	<input type="checkbox"/> Pre-Cleaning Filters	Vorfilter
<input type="checkbox"/> Laboratory Mixers	Labormischer	<input type="checkbox"/> Precipitators	Abscheider
<input type="checkbox"/> Laboratory Sieves	Laborsiebe	<input type="checkbox"/> Precoat Filters	Anschwemmfilter
<input type="checkbox"/> Laser Diffraction	Laserbeugung	<input type="checkbox"/> Pressure Disc Filters	Druckscheibenfilter
<input type="checkbox"/> Leaf Filters	Laserbeugung	<input type="checkbox"/> Pressure Drum Filters	Drucktrommelfilter
<input type="checkbox"/> Lubrication Oil Filters	Blattfilter	<input type="checkbox"/> Pressure Filtration/Dewatering	Druckfiltration/ Entwässerung
<input type="checkbox"/> Magnetic Filters	Schmierölfilter	<input type="checkbox"/> Pressure Leaf Filters	Druckblattfilter
<input type="checkbox"/> Medical Filters	Magnetfilter	<input type="checkbox"/> Pressure Plate Filters	Druckplattenfilter
<input type="checkbox"/> Membrane Bioreactors MBR	Medizinische Filter	<input type="checkbox"/> Pressure Transmitter	Drucktransmitter
<input type="checkbox"/> Membrane Cleaner	Membranbioreaktor	<input type="checkbox"/> Pretreatment Chemicals	Chemikalien f. d. Vorbeh.
<input type="checkbox"/> Membrane Manufacturing	Membranreiniger	<input type="checkbox"/> Product Recovery Units	Produktrückgew.-anlagen
<input type="checkbox"/> Membrane Presses	Membranherstellung	<input type="checkbox"/> Pumps	Pumpen
<input type="checkbox"/> Membranes	Membranfilterpressen	<input type="checkbox"/> Purifiers	Reiniger
<input type="checkbox"/> Meshes, Metal	Membranen	<input type="checkbox"/> Pusher Centrifuges	Schubzentrifugen
<input type="checkbox"/> Meshes, Synthetic	Maschengewebe, Metal	<input type="checkbox"/> Radial Cartridge	Radialfilter
<input type="checkbox"/> Metal Cloth	Maschengewebe, synth.	<input type="checkbox"/> Reusable Filter Media	Wiederverw. Filtermedien
<input type="checkbox"/> Metal Expander	Metallgewebe	<input type="checkbox"/> Reverse Osmosis	Umkehrerrose
<input type="checkbox"/> Microfiltration	Metallexpander	<input type="checkbox"/> Rotary Membrane Filters	Rotierende Membranfilter
<input type="checkbox"/> Mist Collectors	Mikrofiltration	<input type="checkbox"/> Rotary Pleaters	Rotationsfaltmaschinen
<input type="checkbox"/> Mist Eliminators	Dunstabscheider	<input type="checkbox"/> Rotary Vacuum Filters	Vakuumdrehfilter
<input type="checkbox"/> Multiple Filter Systems	Dunstabscheider	<input type="checkbox"/> Rotary Filters	Drehfilter
<input type="checkbox"/> Multiple Web Pleating Lines	Mehrfachfiltersysteme	<input type="checkbox"/> Sampling Equipment	Probenahme
<input type="checkbox"/> Nano Media	Mehrnutzenfaltlinien	<input type="checkbox"/> Sand Screens	Sandsiebe
	Nanomedien	<input type="checkbox"/> Screen Centrifuges	Siebzentrifugen

Product Index Page 3

Company Name

Stand No/

<input type="checkbox"/> Screening Machines	Siebmaschinen	<input type="checkbox"/> Tower Presses	Turmpressen
<input type="checkbox"/> Screw Presses	Schneckenpressen	<input type="checkbox"/> Tube Filters	Röhrenfilter
<input type="checkbox"/> Sediment Characterization	Sediment Charakterisierung	<input type="checkbox"/> Tube Presses	Rohrpressen
<input type="checkbox"/> Sedimentation Equipment	Sedimentationsanlagen	<input type="checkbox"/> Tube Rolling Machine	Rohrwalzmaschine
<input type="checkbox"/> Self Cleaning Filters	Selbstreinigende Filter	<input type="checkbox"/> Tubular Membrane Modules	Membranrohrmodule
<input type="checkbox"/> Separation Analyser	Separationsanalytoren	<input type="checkbox"/> Tubular Filters	Röhrenfilter
<input type="checkbox"/> Separators	Abscheider	<input type="checkbox"/> Ultrafiltration	Ultrafiltration
<input type="checkbox"/> Separators - Magnetic	Magnetabscheider	<input type="checkbox"/> Ultrasonic Slitting/Cutting	Ultraschallschneiden
<input type="checkbox"/> Separators - Oil/Mist	Abscheider - Öl/Dunst	<input type="checkbox"/> Ultrasonic Welding	Ultraschallverschweissen
<input type="checkbox"/> Separators - Oil/Water	Abscheider - Öl/Wasser	<input type="checkbox"/> Unit Collectors, Dust	Abscheidereinheit, Staub
<input type="checkbox"/> Separators - Solid/Liquid	Abscheider – Fest/Flüssig	<input type="checkbox"/> Vacuum Disc Filters	Vakuumscheibenfilter
<input type="checkbox"/> Sewage Sludge Filters	Klärschlammfilter	<input type="checkbox"/> Vacuum Drum Filters	Vakuummtrommelfilter
<input type="checkbox"/> Sieves	Siebe	<input type="checkbox"/> Vacuum Filters	Vakuumfilter
<input type="checkbox"/> Simulation	Simulation	<input type="checkbox"/> Valves	Ventile
<input type="checkbox"/> Slitter	Längsschneider	<input type="checkbox"/> Waste Water Filters	Abwasserfilter
<input type="checkbox"/> Slitting Tools	Schneidwerkzeuge	<input type="checkbox"/> Water Filters	Wasserfilter
<input type="checkbox"/> Sludge Dewatering	Schlammwässerung	<input type="checkbox"/> Wettability Analysis	Benetzungsanalyse
<input type="checkbox"/> Spiral Dewatering	Spiralentwässerung	<input type="checkbox"/> Wire Mesh Laminates, metal	Gewebelamine, Metall.
<input type="checkbox"/> Stainless Steel Filters	Edelstahlfilter	<input type="checkbox"/> Wire/Wovens	Gewebe
<input type="checkbox"/> Strainers	Feinsiebe	<input type="checkbox"/> Wirecloth Filters	Gewebefilter
<input type="checkbox"/> Surface Analysers	Oberflächenanalysegeräte	<input type="checkbox"/> Zeta Potential Measurement	Zetapotentialbestimmung
<input type="checkbox"/> Table Filters	Planfilter		
<input type="checkbox"/> Technical Textiles	Technische Textilien		
<input type="checkbox"/> Test Rigs	Testeinrichtung		
<input type="checkbox"/> Thickeners	Eindicker		

Markets

Our products and/or services can be used in the following industries:

<input type="checkbox"/> Aerospace Industry	Luft- und Raumfahrtindustrie	<input type="checkbox"/> Metal Processing Industry	Metallverarbeitende Industrie
<input type="checkbox"/> Agriculture	Agrarwirtschaft	<input type="checkbox"/> Mineral / Oil / Gas Production	Mineralöl/Öl/Gasproduktion
<input type="checkbox"/> Automotive Industry	Automobilindustrie	<input type="checkbox"/> Mining Industry	Bergbauindustrie
<input type="checkbox"/> Biotechnology/Biopharmac. Ind.	Biotechnologie/Biopharmazie	<input type="checkbox"/> Paint, Pigments, Coatings Industry	Farben-, Pigment-, Beschichtungsindustrie
<input type="checkbox"/> Building & Construction Services	Bauindustrie	<input type="checkbox"/> Petrochemical Industry	Petrochemische Industrie
<input type="checkbox"/> Ceramic, Glass Industry	Keramik-, Glasindustrie	<input type="checkbox"/> Pharmaceutical Industry	Pharmazeutische Industrie
<input type="checkbox"/> Chemical Industries	Chemische Industrie	<input type="checkbox"/> Plastic Industry	Kunststoffverarbeitende Industrie
<input type="checkbox"/> Dairy Industry	Milchindustrie / Molkerei	<input type="checkbox"/> Plating Industry	Oberflächentechnik
<input type="checkbox"/> Electronic, Microelectronic Industry	Elektronik-, Mikroelektronikind.	<input type="checkbox"/> Printing Industry	Druckindustrie
<input type="checkbox"/> Energy, Energy Supply	Energieerzeugung,-versorgung	<input type="checkbox"/> Pulp, Paper Industry	Zellstoff-, Papierindustrie
<input type="checkbox"/> Environmental Protection	Umweltschutz	<input type="checkbox"/> Semiconductor Industry	Halbleiterindustrie
<input type="checkbox"/> Filtration and Separation Industry	Filtrations- und Separationsindustrie	<input type="checkbox"/> Textile Industry	Textilindustrie
<input type="checkbox"/> Food, Beverage Industry	Lebensmittel-, Getränkeindustrie	<input type="checkbox"/> Waste Treatment	Abfallwirtschaft
<input type="checkbox"/> Heavy Industry	Schwerindustrie	<input type="checkbox"/> Waste Water Treatment	Abwasserwirtschaft
<input type="checkbox"/> Iron, Steel Manufacturing	Eisen-, Stahlherstellung	<input type="checkbox"/> Water Treatment, Supply	Wasserbehandlung,-versorgung
<input type="checkbox"/> Medical, Health Care Industry	Medizintechnik, Health Care Industrie	<input type="checkbox"/> Wood-processing Industry	Holzverarbeitende Industrie

Please return all 3 pages to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62



Catalogue Entry

Please complete, and e-mail the document to info@filtech.de until **July 18, 2009**.

The information will be published in the FILTECH 2009 catalogue.

Stand number:

Company Name:

Street:

ZIP Code:

Town:

Country:

Contact Person:

Phone:

Fax:

E-mail:

Web:

Plus 75 words each (English and German) text with your Company and or product information:

The organizer reserves the right to edit the text entries.

SAMPLE ENTRY:

ABCD Company
Poststr. 24
4000 Berlin - Germany
contact: Bernd Schmidt
Phone: +49 2000 111 222 333
Fax: +49 2000 111 222 333
E-mail: schmidt@abccompany.de
Web: www.abccompany.de

Sample Text:

Reports 11 times a year independently and newsworthy about the latest developments in the areas of chemistry, pharmacy and biotechnology.

Regular parts of the magazine are background reports and analyses about the subjects economy, research, production, chemical engineering and environmental technology...

TOPICS

Solid-Liquid-Separation

by Vacuum and Pressure, Press & Centrifugal Filtration, Cartridge and Bulk Layer Depth Filtration, Gravity and Centrifugal Sedimentation, Hydrocyclones, Flotation & Adsorption

- Fundamentals
- New Equipment and Processes
- Combined Mechanical-Thermal-Separation
- Steam Pressure Filtration
- Solid-Liquid- and Liquid-Liquid-Extraction
- Solid and Liquid Purification
- Separation Enhancement by Electrical and Magnetic Means
- Surfactants and Filter Aids
- Slurry Pretreatment by Coagulation and Flocculation
- Separation of Nanoparticles
- Liquid Quality Regulations Filter Media
- Woven Filter Media
- Non-Woven Filter Media
- Granular and Fibrous Filter Media
- Membranes
- Characterization of Filter Media
- Filter Media Production Technologies

Testing; Instrumentation; Control

- Characterization Instruments for Particles, Pores, Interfacial Phenomena
- Filter Media Testing Methods and Instruments
- Separation Test Methods and Instruments
- Operation and Control of Filtration & Separation Equipment

Simulation and Modelling

- Computational Fluid and Particle Dynamics
- Computer-Aided Design, Selection and Operation of Separation Equipment
- Process Simulation
- Flowsheeting Expert Systems

Filter Media

- Woven & Non-Woven Filter Media
- Granular and Fibrous Filter Media
- Membranes
- Characterization of Filter Media
- Media Production Technologies

Solid-Gas-Separation

by Surface Filters, Fibrous and Granular Bed Depth Filters, Bag Filters, Electrostatic Precipitators, Wet Scrubbers, Cyclones

- Fundamentals
- New Equipment and Processes
- Particle Separation at High Temperatures
- Simultaneous Removal of Gaseous Components
- Separation of Nanoparticles
- Air Quality Regulations
- Emission Control
- Product Recovery

Membrane Processes

by Crossflow, Dead End, Shear Stress Filtration, Micro-, Ultra-, Nanofiltration, Reverse Osmosis and Dialysis, Pervaporation, Gas Permeation

- Fundamentals
- New Equipment and Processes
- Separation Enhancement by Electrical Means, Vibration
- Combined Processes

Product related Separation Processes

- Bio-Materials and Fermentation Separations
- Food and Beverage Production
- Pharmaceuticals
- Ultraclean Liquids for the Electronic Industry
- Pigment Separation
- Production of Nanoparticulate Systems
- Municipal and Industrial Waste Water Treatment
- Potable Water Treatment
- Automotive and Aeronautical Separation Systems
- Clean Room Technology
- Mineral and Ore Separation
- Separations in the Chemical Industry
- Drilling Mud Processing and Separations in the Oil Industry
- Recovery of Fluids in the Metal Industry

Special Topics

- Selective Separation
- Micro Process Technology
- Nanofluidics



APPLICATION FOR CO-EXHIBITORS

Return to:

Filtech Exhibitions Germany
PO Box 12 25
40637 Meerbusch – Germany
Fax: +49 (0)2132 93 57 62

APPLICATION FOR CO-EXHIBITORS

MAIN EXHIBITOR:

Stand no. _____ Applied for / already allotted

HEREWITH WE ADVISE THE FOLLOWING CO-EXHIBITOR/S:

Company Name _____

Street/PO Box _____

Post Code/City _____

Country _____

Contact Person _____

E-mail _____

Phone/Fax _____

Company Name _____

Street/PO Box _____

Post Code/City _____

Country _____

Contact Person _____

E-mail _____

Phone/Fax _____

Important:

There are no extra charges for consented co-exhibitors. Without the prior consent of the Organizer, exhibitors are not permitted to sublet their allotted stand either fully or in part to a third party, either for payment or free of charge. All accounts will be sent to the Main-Exhibitor, who still remains responsible. Other correspondence will be sent to the co-exhibitor. Co-exhibitors are entitled to: free Catalogue entry and product index listing, logo and company info at FILTECH homepage.

Place / Date

Company stamp / Signature

TRAVEL INFORMATION

FILTECH 2009

International Conference and Exhibition for Filtration and Separation Technologies
www.Filtech.de

DATES

Short Courses: 12. October 2009
Exhibition & Conference: 13.-15. October 2009

EVENT VENUE

Rhein-Main-Hallen
Rheinstr. 20
65185 Wiesbaden
www.rhein-main-hallen.de

EXHIBITION OPENING TIMES

Tues-Wed: 9.00 am to 6.00 pm
Thurs: 9.00 am to 5.00 pm

VISITOR ADMISSION PASSES

(Admission authorization to the Exhibition for all days)

Visitor ticket (pre-registered)	EUR 15.00
Visitor ticket (onsite-registration)	EUR 25.00
FILTECH Catalogue	EUR 15.00

Please note that to attend a short course or the Congress a separate registration is necessary.

TRAVEL

FILTECH 2009 will be again held in Wiesbaden, Germany. Wiesbaden is easy to reach by whatever means, be it by road, by rail or by plane. The City's proximity to Frankfurt International Airport guarantees easy access especially for international visitors: the largest airport in continental Europe is 30 minutes away by car or by train.

FILTECH 2009 PARTICIPANTS CAN SAVE UP TO 20% ON TRAVEL WITH THE STAR ALLIANCE NETWORK!

TRAVELLING BY PLANE

STAR ALLIANCE

The Star Alliance™ Members Airlines are pleased to be appointed as the **Official Airline Network for FILTECH 2009**. To obtain the Star Alliance™ Conventions Plus discounts, please call the reservation office of a participating Star Alliance Member Airline and quote the convention code:

FILTECH 2009 CONVENTION CODE LH08S09

Registered participants plus one accompanying person travelling to the event are automatically granted a discount of up to 20%, depending on fare and class of travel booked. Discounts are offered on published business and economy class fares, excluding website/internet fares, senior and youth fares, group fares and Round the World fares.

Booking office information can be found at:

www.staralliance.com/conventionsplus ->Business Solutions->ConventionsPlus->Delegate Log-In

Participating Airlines for this event are: ANA, Air Canada, Air China, Asiana Airlines, Austrian Airlines, LOT Polish Airlines, Lufthansa, SWISS International Air Lines, Scandinavian Airlines, Spanair, TAP Portugal, Turkish Airlines, United, bmi.

Please note: For travel from Japan and New Zealand special fares or discounts are offered by the participating airlines on their own network. When making your travel plans please present confirmation of your registration or proof of attendance.



STAR ALLIANCE

AIR CANADA

AIR NEW ZEALAND

ANA

ASIANA AIRLINES

Austrian

bmi

LOT POLISH AIRLINES

Lufthansa

Scandinavian Airlines

SINGAPORE AIRLINES

SOUTH AFRICAN AIRWAYS

Spanair

swiss

TAP TAPPORUGAL

THAI

UNITED


U-S AIRWAYS

Wiesbaden is easily accessible via **Frankfurt International Airport (FRA)**, the largest airport in continental Europe located only 28 kilometres away. Passengers do not even have to leave the terminal area to make their connections; they can take the suburban trains or several regional trains directly to Wiesbaden Central Station.

Another small airport is Frankfurt Hahn Airport (HHN). Despite its name, the airport is situated some 120 km west of Frankfurt and some 90 kilometres west of Wiesbaden. Passengers arriving there should aware that there is no train or tram connection to Wiesbaden. In total it will take at approx. 2 hours to get to Wiesbaden Central Station.


FROM FRANKFURT INTERNATIONAL AIRPORT (FRA) TO WIESBADEN (28 km distance):

Fraport AG – Frankfurt International Airport
60547 Frankfurt am Main
Phone: +49 69 6900
Fax: +49 69 69070081
Infotelephone: +49 1805 3724636
www.Frankfurt-airport.de

 By train: The Frankfurt International Airport [German: Rhein-Main-Flughafen or Flughafen Frankfurt am Main] is located in Frankfurt am Main, Germany, some 30 kilometres east of Wiesbaden. It is the **largest airport in Germany**, serving as an important hub for international flights from around the world and has two integrated railway stations: The long-distance railway station at the AIRail Terminal, right next to Terminal 1 and a regional railway station for S-Bahn (metropolitan railway), regional and local trains at Terminal 1, Level 1.

We recommend S-Bahn service S8 or S9 for your journey to Wiesbaden Hauptbahnhof (Central Station). These lines depart every 15 to 30 minutes on average from the regional station in Terminal 1, Level 1, at platforms 2 and 3. The journey takes around 30 minutes. Please select tariff zone 65/6500 on the RMV ticket machine for Wiesbaden (RMV: regional public transportation system). There is a fast-selection button for single tickets to Mainz/Wiesbaden, marked 'Einzelfahrt nach Mainz/ Wiesbaden'.

FILTECH 2009 Conference delegates receive a RMV combi-ticket with their registration confirmation allowing free local public transport from Frankfurt International airport to/in Wiesbaden and back.

 By taxi: A large number of taxis are available at both terminals. A trip to/from the centre of Wiesbaden costs about **EUR 40-45 and takes 20 to 30 minutes**, depending on traffic conditions. If you travel back to Frankfurt Airport by taxi, simply tell the driver the name of your airline. The taxi driver knows his way round and will "automatically" take you to the right terminal and put you down near your check-in desk.

Airport Taxi Transfer

www.flughafentransfer-ebert.de Phone: +49 6123 605874
www.taxi@wi-taxi.de Phone: +49 7 24 25 56


Car Rental

At Frankfurt International Airport you will find several companies offering car rental services.

FROM FRANKFURT HAHN AIRPORT (HHN) TO WIESBADEN (90 km distance):

Hahn Airport
55483 Hahn-Flughafen
Infotelephone: +49 6543 509200
Terminal Info: +49 6543 509113
www.hahn-airport.de

Frankfurt Hahn Airport [German: Flughafen Frankfurt-Hahn] is an international aviation facility located in central western Germany. Despite its name, the airport is **situated some 120 km west of Frankfurt** and some **90 kilometres west of Wiesbaden**. The airport was originally the Hahn Air Base of the United States Air Force, and was converted to a civil airport after outliving its usefulness as a military base. Although it handles international flights, Hahn airport does not have the word "International" as part of its name - in order to avoid confusion with the more heavily used Frankfurt International Airport. As airport charges to operators are low because of its remote location, Frankfurt-Hahn is very popular with low-cost airlines like Ryanair, which uses it as one of its principal hubs.

 By bus: There are buses (ORN-airport-shuttle) every 1 or 2 hours between Frankfurt Hahn Airport (bus terminal stop 1 in front of the terminal building) and the main railway station in Mainz. The bus journey to Mainz takes 70 minutes. Tickets are available on the bus (The FILTECH public transport ticket is not valid for this bus) From Mainz to Wiesbaden Hauptbahnhof (Central Station) we recommend S-Bahn service S8 (The FILTECH public transport ticket is valid for regional trains from Mainz to Wiesbaden). This line departs every 30 minutes from platform 1a inside the main railway station on street level. The journey takes another 15 minutes. Please select tariff zone 65/6500 on the RMV ticket machine for Wiesbaden. In total it will take at approx. 2 hours (!) to get to Wiesbaden Central Station.

 By taxi: A trip to/from the centre of Wiesbaden costs about **EUR 100 – 145 (!) and takes about 1 hour**.

TRAVEL INFORMATION

TRAVELLING BY TRAIN

The **Central Station** of Wiesbaden is a breakpoint of important Euro- and Intercity connections. Wiesbaden is closely linked to Frankfurt Hbf Main Station through numerous rail connections, a journey of only 35 minutes. Travellers arriving by train have only short walking distances in the City. Pedestrians can easily reach the most important sights and facilities in a few minutes.

From the Central Station to the Rhein-Main-Hallen it is only a 10 minutes walk. You can also take the bus or taxi from outside the main station - a few minutes ride and very frequent service. FILTECH 2009 Conference delegates have a public transport ticket for Wiesbaden and can use buses and trams in Wiesbaden free of charge. The ticket also covers free rides with regional trains from Frankfurt Airport to Wiesbaden Central Station and back.

Railway Travel Centre

Bahnhofplatz 1
65189 Wiesbaden

Opening Hours:

Monday - Friday 6 am - 7.30 pm
Saturday 7 am - 6 pm
Sunday 8.45 am - 7 pm

TRAVELLING BY CAR

Wiesbaden is linked to **8 highways** and seven federal roads, and can be reached, e.g., from the north via A5 or A3, from the east via A3/A66, from the south via A5 or A67/A63 and from the west via A60. The Rhein-Main-Halls are located in the City Center.



Coming from the Frankfurt Airport (by car)

- Drive in the B43.
- Leave the B43 and drive on the slip road Exit Kelsterbach on the A3 direction Köln, Wiesbaden, Darmstadt, Mainz, Rüsselsheim.
- Alternate at the Wiesbadener Kreuz on the A66.
- Alternate at the Wiesbaden-Mainzer Straße (5) from the A66 in direction Wiesbaden – Stadtmitte (town center), Wiesbaden-Mainzer Str.
- Now you pass the slip road of Wiesbaden.
- Follow the Mainzer Straße (B263)
- Leave the Mainzer Straße (B263) and turn left into the Gustav-Stresemann-Ring (B54).
- Leave the Gustav-Stresemann-Ring (B54) and drive straight on the Kaiser-Friedrich-Ring (B54).
- Leave the Kaiser-Friedrich-Ring (B54) and turn right into the Bahnhofstraße.
- Leave the Bahnhofstraße and turn left into the Rheinstraße (L3037).
- After 30 km and 24 minutes you reached the Rheinstraße 20 in Wiesbaden.

PARKING

For downtown parking you will find a number of public parking garages; a modern guiding system leads directly to the free parking possibilities. Visitors arriving by car will find a total of 5.106 parking spaces in the 11 parking garages located in downtown Wiesbaden.

The nearest parking place to the Rhein-Main-Hallen is the "Theater"-Parking-Garage which is open 24 hours a day. The next parking place is the "Markt/Rathaus"-Garage 10 minutes walking distance to the Rhein-Main-Hallen. Parking-Fees will be charged.



Parkmöglichkeiten: Achten Sie bei Ihrer Anfahrt auf das **Wiesbadener Parkeitsystem**.
 Parking: Look out for the **electronic guiding system** which signposts vacant parking spaces within the city. **Rhein-Main-Halls/ FILTECH 2009**

PUBLIC TRANSPORT TICKET

FILTECH 2009 Congress delegates receive a "RMV-KongressTicket" together with their registration confirmation. This tickets entitles to free rail travel between Frankfurt International Airport (FRA) Railway Station and Wiesbaden Central Station and return (in suburban/regional trains – S8/S9) plus unlimited free travel on the Wiesbaden public transport bus and regional train services from October 12-15, 2009.

HOTEL RESERVATION

The Wiesbaden Tourist Service will handle your hotel booking quickly and efficiently. The choice of accomodations ranges from the family type guest house to the luxury hotel. You can easily book by returning the hotel reservation form for FILTECH 2009 participants. If you have any queries concerning hotels/accommodation or any other kind of tourist information please contact:

Wiesbaden Congress & Tourist Service - Hotel Reservation
PO Box 38 40
65028 Wiesbaden - Germany
Phone: +49 6129 / 1729-777
Fax: +49 6129 / 1729-701
E-Mail: tourist-service@wiesbaden.de

Please mention FILTECH when making direct hotel or tourist information bookings. If you prefer an individual booking detailed hotel information is also available at www.wiesbaden.de

WIESBADEN TOURIST INFORMATION

Upon your arrival in Wiesbaden the Wiesbaden Tourist Service Office will be pleased to be at your service for tourist information, sightseeing and onsite hotel reservation. The tourist office is situated right in the City Centre. easy to find and just a short walking distance from the Rhein-Main-Halls.

Wiesbaden Tourist Service
Marktplatz 1
65183 Wiesbaden – Germany

Opening Hours:

Mon-Fri 10 am – 6 pm
Sat 9 am – 3 pm

TAXI SERVICES

www.taxiwiesbaden.de Phone: +49 611 333333
www.taxi-444444.de Phone: +49 611 444444

CASH MACHINES

You can conveniently withdraw cash using Maestro and international credit cards just a short distance from the Rhein-Main-Halls. Cash Machines can be found in banks at Bahnhofstraße and Friedrich Ebert Allee/Wilhelmstraße.

SHOPPING & LEISURE

The Rhein-Main-Halls are conveniently situated in the City Centre where you will find specialist stores, department stores, supermarkets, museums and a broad variety of coffee shops, restaurants and of course the Casino Wiesbaden.



HOTEL RESERVATION

For all queries contact

☎ +49 (0)611 / 1729-777

E-mail: tourist-service@wiesbaden.de

Web: www.wiesbaden.de

TO BE RETURNED BY SEPTEMBER 8, 2009

Return to:

**Wiesbaden Congress & Tourist Service
Hotel Reservation**

PO Box 60 50

65050 Wiesbaden – Germany

Fax: +49 (0)611 1729-701

Company

Contact Person:

Address

Post Code/City

Phone/Fax

E-mail

Credit Card /valid until (month/year)

Credit Card-No.

Please reserve for:

Mrs. _____ / Mr. _____

_____ **Single room/s**

_____ **Double room/s**

Arrival: _____

Departure: _____

- Price Category 1**
Price per person € 140.00 up to € 300.00
- Price Category 2**
Price per person € 70.00 up to € 140.00
- Price Category 3**
Price per person up to € 70.00

At the following hotel (turn page for hotel list and prices):

1st choice

2nd choice

If the above mentioned hotels will be already booked out, a reservation in a hotel which is of a comparable standard will be made.

Rates per person per night, breakfast, service charge and VAT included.

Your hotel reservation is binding. The Wiesbaden Tourist Service will only act as agent and can not accept any liability for the service rendered. The general terms and conditions for the hotel business shall be applicable.

The confirmed reservation shall be binding for both the provider as well as for the guest. The guest/client will be liable for payment of the accommodation rate even though it has not been made use of – or for the reserved accommodation which was not cancelled in due time. The room will be reserved on the booked day of arrival until 18.00 hours. In case of later arrival the hotel should be informed of the expected delay. Otherwise the room may be re let.

With submitting this binding room reservation, it is understood by the client, that the requested accommodation will not be definitely available. Also please advise as to the rate category required.

Date

Company stamp / Signature

Price Category 1

All Prices in Euro per Person

1 Dorint Pallas Wiesbaden 5-star hotel - walking distance approx. 3 min	single room	bath/shower/WC	€ 175.00
	double room	bath/shower/WC	€ 205.00
The price for the buffet breakfast is €22.00 per person/per day extra			
2 Hotel Klee am Park good middle class hotel - walking distance approx. 10 min The price for the buffet breakfast is € 16.00 per person/per day extra	single room	shower/WC	€ 128.00
	double room	shower/WC	€ 158.00
3 Hotel Oranien 4-star hotel - walking distance approx. 15 min	single room	bath/shower/WC	€ 140.00
	double room	bath/shower/WC	€ 165.00

Price Category 2

All Prices in Euro per Person


4 ACHAT Hotel City Wiesbaden 3-star hotel - walking distance approx. 10 min	from 12.-13.10.2009	single room	shower/WC	€ 108.00
	from 13.-15.10.2009	single room	shower/WC	€ 133.00
5 Hotel Alexander middle class hotel - walking distance approx. 10 min	single room	shower/WC	€ 120.00	
	double room	shower/WC	€ 150.00	
6 Hotel Am Kochbrunnen 3-star hotel - walking distance approx. 15 min	single room	shower/WC	€ 89.00	
	double room	shower/WC	€ 98.00	
7 Hotel Bären 3-star hotel - walking distance approx. 10 min	single room	shower/WC	€ 105.00	
	double room	shower/WC	€ 140.00	
8 Best Western Hansa Hotel 3-star superior hotel - walking distance approx. 2 min	single room	shower/WC	€ 118.00	
	double room	shower/WC	€ 148.00	
9 City Partner Hotel Fürstenhof middle class hotel - walking distance approx. 20 min	single room	shower/WC	€ 98.50	
	double room	shower/WC	€ 132.00	
10 Hotel Ibis Wiesbaden City 2-star hotel - walking distance approx. 10 min	single room	shower/WC	€ 109.00	
	double room	shower/WC	€ 129.00	
11 Hotel Klemm 3-star hotel - walking distance approx. 15 min	single room	shower/WC	€ 105.00	
12 Penta Hotel 4-star hotel - approx. 5-7 min by car	single room	bath/shower/WC	€ 110.00	
	double room	bath/shower/WC	€ 120.00	
13 Ramada Hotel Nordenstadt / Wsb.-Nordenstadt single room 3-star hotel - approx. 10-15 min by car	single room	€ 111.00		
	double room	shower/WC	€ 126.00	

Price Category 3

All Prices in Euro per Person

14 Hotel Jägerhof 2-star hotel - walking distance approx. 5 min	single room	shower/WC	€ 55.00	
	double room	shower/WC	€ 85.00	
15 Motel One Wiesbaden middle class hotel - walking distance approx. 5-10 min	from 12.-13.10.2009	single room	shower/WC	€ 66.50
	from 13.-15.10.2009	single room	shower/WC	€ 86.50
	single room	shower/WC	€ 86.50	

Wiesbaden Hotels



Price Category 1

- 1 Dorint Pallas Wiesbaden
- 2 Hotel Klee Am Park
- 3 Hotel Oranien

FILTECH VENUE

Rhein-Main-Hallen
Rheinstr. 20
65185 Wiesbaden
www.rhein-main-hallen.de

Price Category 2

- 4 Achat Hotel City-Wiesbaden
- 5 Hotel Alexander
- 6 Hotel Am Kochbrunnen
- 7 Hotel Bären
- 8 Best Western Hotel Hansa
- 9 City Partner Hotel Fürstenhof
- 10 Hotel Ibis Wiesbaden City
- 11 Hotel Klemm
- 12 Pentahotel Wiesbaden
- 13 Ramada Hotel Wi-Nordenstadt

Price Category 3

- 14 Hotel Jägerhof
- 15 Motel One

PARKMÖGLICHKEITEN:

Parkhaus Rhein-Main-Hallen 1060 Plätze
Parkhaus Luisenplatz 320 Plätze

PARKING:

Park garage Parkhaus Rhein-Main-Hallen 1060 spaces
Park garage Parkhaus Luisenplatz 320 spaces

Wiesbaden Tourist Service
Marktplatz 1
65183 Wiesbaden
Telefon +49 (0) 611 17 29 777
Telefax +49 (0) 611 17 29 701
E-Mail: tourist-service@wiesbaden-marketing.de
www.wiesbaden.de

RULES & REGULATIONS - FILTECH 2009

1. Organiser

Filtech Exhibitions Germany OHG
PO Box 12 25 – 40637 Meerbusch – Germany
Phone: +49 (0)2132 93 57 60 Fax: +49 (0)2132 93 57 62
e-mail: info@filtech.de Web: www.filtech.de

2. Venue/Date

Rhein-Main-Hallen · Rheinstraße 20 · 65158 Wiesbaden
Date: October 13 – 15, 2009, 9:00 am – 6:00 pm

3. List of Exhibits

Only products which meet the subject of the Event can be admitted and exhibited. The subject is Filtration & Separation Technology.

4. Participation charges

The FILTECH net participation charges are 240 Euro per sq. m space only and 350 Euro per sq. m shell scheme package. Minimum charge is 12 sq. m. Part of a square metre will be charged as a full unit. Projections, pillars, columns and space for installation connections will all be included in space costs. The participation costs (space only) do not include stand partition walls. All prices given are net, statutory German VAT will be added valid at the time of the event.

5. Terms of Payment

Upon receipt of the confirmation of the stand booking (admission) 50% is payable immediately without deduction. The remaining 50% is payable 4 months before the show at the latest. Invoices issued after 01.7.2009 are payable immediately in full. Invoices for miscellaneous services or for supplies ordered separately should be settled at the time the services were provided or the supplies effected, at the latest by the date of the invoice. If the exhibitor gives instructions to render accounts to a third party, the exhibitor still remains responsible. Remittances should be endorsed with the invoice number, marked FILTECH 2009 and made out in favour of the organiser and paid into the following bank account:

Deutsche Bank Düsseldorf – Bank Code 300 700 10 –
Account-No. 881 8866 00

IBAN: DE28300700100881886600 – BIC/SWIFT: DEUTDE33XXX

In the case of late payment, interest will be charged at a rate of 2% above the base rate of the European Federal Bank effective at the time. If payment of the invoices is not effected by the exhibitor within the stipulated periods, the organizer shall have the right (also in the event of space not fully paid for) to withdraw from the contract with regard to all space rented by the exhibitor and to dispose of this space otherwise.

6. Application for space

Applications for space shall be made by using the official form, acknowledging the Conditions of Participation and the Technical Regulations to be issued subsequently. Officially signed application forms should be sent to the organiser. Applications made subject to conditions or reservations cannot be taken into consideration. Every endeavour will be made to make requests for specific sites, but such requests cannot be recognised as a condition for participation. No undertaking can be given with respect to exclusion of competitors. The application will be considered effected once it has been received by the organiser and it is then binding until admission or non-admission. Receipt of application will be acknowledged in writing. For both exhibitors and stand contractors the Technical Regulations constitute an integral part of the contract. These are available on request, subject to subsequent modifications, and become binding for the event.

7. Admission

A legal claim for admission does not exist. Exhibitors who have not fulfilled their financial obligations to the organiser or have contravened the Conditions of Participation or legal requirements can be excluded from participation. Exhibitors will receive written confirmation that they have been admitted. This confirmation applies only to the designated exhibitor. Notification of admission constitutes the conclusion of the contract between the organiser and the applicant. If the allotted space is not available for reasons beyond the control of the organiser the exhibitor may claim a refund of the space rental cost; there will be no claims for damage. The organiser may, if required by circumstances and specifying its reasons for doing so, and bearing in mind what is reasonable for the exhibitor, deviate from the notice of admission by allocating space in another position or reducing or increasing the stand size. The organizer reserves the right to alter the hall layout without prior notice to exhibitors.

8. Co-exhibitors

Without the prior consent of the organiser, exhibitors are not permitted to give their allotted stand either fully or in part to a third party, whether for payment or free of charge. There are no extra fees for consented co-exhibitors. If the exhibitor gives instructions to render accounts to a third party, the exhibitor still remains responsible.

9. Exhibits

Exhibits may not be removed from the stand until after the event has ended. Selling from the stand prior to the end of the show is not permitted. The operation and demonstration of machines has to be indicated to the organiser and can only be carried out with consent of the organiser.

10. Catalogue/Invitation cards/Logo on Website

Each exhibitor receives a free text entry and 4c Logo in the FILTECH 2009 Exhibition Catalogue. Exhibitors will receive further details well before the show.

Each exhibitor will receive 50 Entrance Tickets giving free access to the exhibition on all days. Exhibitors and co-exhibitors will have their Company logo at the FILTECH web pages www.filtech.de free of charge.

11. Cancellation and non-participation

Applications can be withdrawn up until admission. A withdrawal fee of 50% of the participation charge plus turnover tax must be paid. Following admission (relevant: date of reservation confirmation issued by the organizer), the exhibitor shall not be entitled to rescind the contract nor to reduce the stand area. The participation charges shall be payable in full together with any costs actually entailed. Should the organiser make alternative use of unoccupied areas to improve the general appearance of the show, the exhibitor who reserved the space shall not be released from his financial obligations. The organiser is free to alter the hall layout, without prior notice to exhibitors.

The cancellation and non-participation of a main exhibitor automatically results in the exclusion and cancellation of admission for the Co-exhibitor. If settlement or bankruptcy proceedings are pending against an exhibitor's assets, or if such proceedings have been suspended due to inadequate assets, the organiser shall be entitled to cancel the contract without further notice. The exhibitor must inform the organiser immediately and under any circumstances when such settlement or bankruptcy proceedings have been proposed. The above mentioned paragraphs apply accordingly.

12. Exhibition insurance cover and exclusion of liability

Every exhibitor exhibits at his own risk. Exhibitors can obtain cover, at their own expense, for risks during participation at the event.

The organiser accepts no responsibility for exhibits and stand fittings and expressly excludes all liability for any loss or damage. This exclusion of liability is in no way limited by the security services provided by the organiser.

Furthermore the organiser is only liable in cases of gross negligence or wilful intent. The organiser is insured to cover his statutory liability. In other respects the General Insurance Conditions for Liability Insurances (AHB) shall apply.

13. Reservation of rights and final conditions

The organiser has the right to postpone, curtail, extend, temporarily close, in part or completely, or cancel the trade fair, should it be necessary, for reasons beyond their control, and whilst considering the interests of the exhibitors in carrying it out. In such justifiable, exceptional circumstances, as in all cases of force majeure, exhibitors shall not be entitled to rescind their contract, claim damages nor reduction of participation charges. If the event does not take place for the afore-mentioned reasons, exhibitors may be charged up to 25% of the participation charges to cover general costs. A larger amount can be demanded from individual exhibitors if they have given instructions for extra work to be carried out on their behalf. If the organiser is responsible for the cancellation of the event, no participation charges will be payable. The organiser will entertain no claim for damages. All verbal agreements, individual approvals and special arrangements must be confirmed in writing by the organiser. Whenever admission documents contain the reference that they have been drawn up by the organiser by computer, even if they contain no signature, they are legally binding.

All claims by exhibitors against the organiser must be made within 6 months. Claims made thereafter will not be valid. The period of limitation starts at the end of the month in which the event finished. The place of performance and jurisdiction for all mutual obligations is Meerbusch or, at the request of the organiser, the jurisdiction of the exhibitor's place of business. This also applies to complaints arising from cheques or drafts. The law of the Federal Republic of Germany is applicable. The German text is binding.